
Television mounts • Monitor mounts • Projector mounts • Notebook mounts Tablet mounts • Point of Sale mounts • Video wall mounts • Cable management

AV MOUNTING SOLUTIONS



















WHY CHOOSE ATDEC?

OUR PRODUCTS ARE WORLD CLASS AND IN MOST CASES BEST IN CLASS

Atdec mounts set the standard in terms of their sophisticated design, advanced functionality, clever features, robust construction, ease of installation and long life.

All Atdec products are:

- Designed and developed by our engineering and industrial design team in Sydney, Australia, and are tested to a minimum 10,000 cycles
- Designed to minimize the impact on the environment
- Designed in line with the latest flat panel (LED LCD, OLED and Plasma) technologies on the market

ATDEC PRODUCTS ARE TESTED AND PROVEN

Research and development is ongoing at Atdec including testing lighter and stronger materials with less environmental impact, making installation easier, and enhancing product ergonomics and ease of use features. It is our goal to continue offering exceptional products and solutions, outstanding service and excellent value.

DON'T JUST TAKE IT FROM US, DO AS OUR CLIENTS DO

Our clients include all branches of the US Government and many Fortune 500 companies including McDonalds, Wells Fargo, Boeing and many more. Our mounts can be seen behind flat screens throughout the world, from banks in London (Lloyds) to car dealerships in France (Renault), in airports in Sydney to homes in Seoul, in universities in Canada (Laurentian) to schools in San Francisco.

Tablet Mounts: fixed, portable and secure mounting solutions for a range of modern tablet devices.

TV/Monitor Desk Mounts: ergonomic monitor arms and freestanding desk mounts in a variety of mounting configurations.

TV/Monitor Wall Mounts: fixed, tilt and full motion wall mounts for any size of LED/LCD or plasma TVs.

TV/Monitor Ceiling Mounts: Single and multi-screen mounts for commercial and home use.

Projector Mounts: Ceiling and wall mounting solutions for all types of projectors including short and ultra-short throw.

TV/Floor Mounts: single and dual display mobile TV carts for web conferencing, presentations and digital signage equipment.

Video Wall Mounts: universal, modular and easy to upgrade video wall mounting system. Time and cost saving installation and maintenance features integrated throughout the design.

Cable Management: the perfect accessory to complement any wall mounted display.

















COMMERCIAL TABLET MOUNTS



Commercial iPad mounts feature rugged steel components and clever security features to protect tablet devices in the most challenging public environments. Combining strength, security, style and versatility the iPad range is the ultimate mounting solution for commercial applications.





S-Frame for iPad 2, 3 and 4

Frame Only:

SPIPF244-BLACK-02 SPIPF244-ALU-03



DuraTile® desk mount DTP101-02

An ideal solution for an iPad frame/clamp mounting.

Durable and secure, rotates 210° and provides 80° range of tilt



X-Frame for iPad 2, 3 and 4

SpacePole X-Frame with DuraTile® mount

SPXF101-02 SPXF102-02 (Axis Orientation)



TABLET MOUNTS

Tablet mounts are designed to add further versatility, portability and ergonomic support to tablet computers from all major manufacturers, including Apple, Samsung, Amazon, Sony and more. Combining a number of portable and fixed options, the Tablet range is the ultimate mounting solution for a variety of environments.



Model: VTB-IPS

Tablet stand for iPad 2, iPad 3 and iPad 4



Model VTB-US

Universal tablet stand for tablets from 7" to 10"



VESA adaptor mount for iPad 2, iPad 3 and iPad 4



Model VTB-FD

Desk tablet mount for any tablet up to 10" includes attachment for iPad 2, iPad 3 and iPad 4

The new Levitate^{$^{\text{M}}$} monitor arm is a dramatic step forward in both functionality and aesthetic design, combining unsurpassed convenience and versatility with a breathtaking appearance that enhances virtually any workplace environment. The new Levitate^{$^{\text{M}}$} really is the perfect solution for anyone using a screen on a daily basis.











From 3kg (6.6lbs) to 9kg (19.8lbs)



75 x 75 and 100 x 100, also supports 200 x 100 via additional adaptor plate AC-AP-2010 (sold separately)







Model: L-PW

Black

White



Dynamic Lift Assistance Mechanism (DLA)

This technology consists of adjustable springs in both the upper and lower arms, designed to allow the arms to be raised and lowered and rotated 360° , independently



Product Features





Top loaded Desk Clamp is excellent for hard to reach areas.

Choice of Bolt Through and Desk Clamp mounting options
(both included)



Unsurpassed screen height, reach and adjustment range

Visual Gauge for spring tension to assist in large projects



Advanced cable management



FOCUS RANGE

The Visidec[™] Focus range is a stylish solution designed for all monitors and laptop displays. These mounts allow excellent workplace layout options, very good space management, and ultra-easy ergonomic adjustments. Upgradable and interchangeable, these mounts are a valuable asset to any multi-tasking workplace.



With FlexiStar™

The FlexiStarTM mechanism is Atdec's unique display mounting head featuring extendable tabs for easy adjustment from $75 \text{mm} \times 75 \text{mm}$ to $100 \text{mm} \times 100 \text{mm}$ VESA mounting holes.











Up to 8kg (17.6lbs) per display



75 x 75 and 100 x 100, also supports 200 x 100 via additional adaptor plate AC-AP-2010 (sold separately)



Single articulated arm



Model: VF-AT-NBC

Articulated monitor arm and notebook tray combo



Dual articulated arm



Model: VF-AT-NP

Notebook articulated arm



Wall monitor articulated arm



Micro



Model: VF-AT-NK Notebook articulated arm accessory



Model: VF-AT-AA

Articulated arm accessory



Advanced cable management





Choice of Desk Clamp and Bolt Through mounting options (both included)



FREESTANDING RANGE

The Visidec TM Freestanding range of multi-screen mounts is designed for enhanced ergonomics and hot-desking. Dual and Quad display options are available to create a superior space for optimum productivity.











Up to 12kg (26.5lbs) per display



75 x 75 and 100 x 100, also supports 200 x 100 via additional adaptor plate AC-AP-2010 (sold separately)



Model: VFS-Q Quad



Model: VFS-DH

Dual horizontal



Model: VFS-DV

Dual vertical





QuickShift mechanism for easy display position adjustment



Quick release mechanism for easy assembly and screen adjustment



Advanced cable management



FREESTANDING RANGE

The SpacedecTM Freestanding Triple and Hex options are designed for mounting up to six displays on a single pole. They can be mounted permanently to the desk or using a "freestanding" mode for hot-desking (both mounting options are included).



Up to 8kg (17.6lbs) per display




75 x 75 and 100 x 100, also supports 200 x 100 via additional adaptor plate AC-AP-2010 (sold separately)



Model: SD-FS-T

Triple



Hex





Choice of Freestanding base and Bolt Through mounting options (both included)



Easy display horizontal adjustment



Advanced cable management



Quick release mechanism of the centre display for fast and easy assembly

***spacedec**

DISPLAY RANGE

SpacedecTM display mounts incorporate highly versatile, user friendly, secure and ergonomic features to enhance retail or any other public environments. Multiple adjustment points accommodate demanding multi-user situations and enhance the ergonomics and productivity of any workplace.



Model: SD-POS-HA
POS height adjustable



Model: SD-POS-VBM
POS standard











Up to 20kg (44lbs) per display



75 x 75 and 100 x 100, also supports 200 x 100 via additional adaptor plate AC-AP-2010 (sold separately)

Can be upgraded into a dual display back-to-back configuration via SD-POS-HA-B2B or SD-POS-VBM-B2B accessories (sold separately)





Model: TH-FM

Furniture mount



Up to 35kg (77lbs)



Universal mounting pattern up to 600mm wide and 400mm high


MONITOR STANDS



Up to 12kg (26.5lbs) per display



 75×75 and 100×100 , also supports 200 x 100 via additional adaptor plate AC-AP-2010 (sold separately)



Model: SD-DP-1150

Universal mount suitable for poles with 42mm (1.65") and 50mm (2") in diameter.

Model: SD-DP-420



All three Donut Poles come with one QuickShift SD-DO donut and can be upgraded to support multiple screens by adding SD-DO mount(s) (sold separately)

Model: SD-DO

QuickShift Donut mount





Quick release mechanism for fast and easy assembly



QuickShift mechanism for easy display position adjustment







Advanced cable management

Choice of Desk Clamp and Bolt Through mounting options (both included)



Flush to Wall Range















Up to 30kg (66lbs)



75 x 75, 100 x 100, 200 x 100**

Model: TH-1026-VF

Monitor/small TV mount





Ultra Slim

Up to 50kg (110lbs)



50 x 50, 75 x 75, 100 x 100, 120 x 180, 200 x 100, 200 x 200 and up to 400 x 400**

Model: TH-2250-VF

Small to medium TV mount



Dedicated portrait orientation



Up to 70kg (154lbs)



Universal up to 600mm wide and 400mm high

Model: TH-3070-UFP

Large TV portrait mount





Ultra Slim

Up to 65kg (143lbs)



Universal up to 810mm wide and 500mm high

Model: TH-3060-LPF

Large TV ultra slim mount





Up to 50kg (110lbs)



Universal up to 600mm wide and 400mm high

Model: TH-3060-UF

Large TV low profile mount





Up to 125kg (275lbs)



Universal up to 800mm wide and 500mm high

Model: TH-3070-UF

Large TV heavy duty tilt mount

TILT/PAN/ROTATING RANGE

TV AND MONITOR MOUNTS













Up to 8kg (17.6lbs)



75 x 75, 100 x 100, 200x100*



Monitor/small TV tilt/pan/rotating mount





Up to 25kg (55lbs)



75 x 75, 100 x 100, 200 x100*

Model: SD-WD

Monitor/small TV tilt/ pan/rotating mount





Up to 15kg (33lbs)



75 x 75, 100 x 100, 200 x 100*

Model: TH-1026-VTP

Small to medium flat screen wall mount





Up to 25kg (55lbs)



 75×75 , 100×100 , 200×100 , 200×200 , and up to 400×400 **

Model: TH-2040-VTR

Small to medium TV tilt/pan/rotating mount





Up to 30kg (66lbs)



50 x 50, 75 x 75, 100 x 100, 200 x 100, 200 x 200, and up to 400x400**

Model: TH-2250-VTP

Small to medium TV tilt/pan mount

TILT/PAN/ROTATING RANGE







Up to 50kg (110lbs)



Universal up to 800mm wide and 500mm high

Model: TH-3060-LPT

Large TV tilt ultra slim mount















Up to 50kg (110lbs)



Universal up to 600mm wide and 400mm high

Model: TH-3060-UT

Large TV tilt low profile mount



Low Profile





Universal up to 660mm wide and 400mm high

Model: TH-30-50-RW

Large TV tilt/pan/rotating mount



Dedicated portrait orientation



Up to 70kg (154lbs)



Universal up to 800mm wide and 400mm high

Model: TH-3070-UTP

Large TV tilt portrait mount





Up to 91kg (200lbs)



Universal up to 800mm wide and 500mm high

Model: TH-3070-UT

Large TV tilt heavy duty mount





Up to 8kg (17.6lbs)

75 x 75, 100 x 100, 200 x 100*





Smooth Glide Technology

Up to 25kg (55lbs)

75 x 75, 100 x 100, 200 x 100, 200 x 200, and up to $400 \times 400^{**}$

Model: TH-1040-VFM

Small TV articulated arm



Monitor/small TV articulated arm



Smooth Glide Technology

Up to 35kg (77lbs)

100 x 100, 200 x 100, 200 x 200, 300 x 200, 300 x 300, 400 x 300, 400 x 400

Model: TH-2050-VFM

Small to medium TV articulated arm



Smooth Glide Technology

Up to 65kg (143lbs)

Universal up to 805mm wide and 500mm high

Model: TH-3270-UFM

Medium to large TV articulated arm

V/Monitor Wall Mounts

FULL MOTION RANGE

TV AND MONITOR MOUNTS











Height Adjustable

From 5kg (11lbs) to 25kg (55lbs)

Universal up to 400 wide by 400 high

Model: TH-3060-UFH

Medium monitor/TV height adjustable mount

Perfect for interactive TVs



Ultra Slim


Up to 25kg (55lbs)



Universal up to 400mm wide and 400mm high

Model: TH-2050-UFL

Small to medium TV articulated arm





Ultra Slim

Up to 60kg (132lbs)

Universal up to 800 wide by 400 high

Model: TH-3070-UFL

Large TV full motion articulated arm

Extra stability for larger TVs



#telehook

MONITOR MOUNT/SMALL TV MOUNT

MEDIUM TO LARGE TV MOUNT



Up to 25kg (55lbs) per display



 75×75 , 100×100 , 200×100 , 200×200 , also supports VESA up 400×400 via additional adaptor plate AC-AP-4040 (sold separately)

Model: TH-1040-CTS (black) TH-1040-CTSW (white)

From 400mm (15.75") to 900mm (35.43") pole



From 900mm (35.43") to 1800mm (70.87") pole

This ceiling mount is also available in white color









SMALL TO MEDIUM TV MOUNT



Up to 15kg (33lbs)



75 x 75 and 100 x 100 also supports 200 x 100 via additional adaptor plate AC-AP-2010 (sold separately)

Model: TH-1026-CT up to 1695mm (66.7") pole



TH-1040-CT Range Accessories





The raked ceiling accessory allows for angled ceilings up to 45 degrees TH-1040-RCA (sold separately)





Model: TH-1040-EXT-1000-1H

1m (39") extension pole accessory (TH-1040-CTL and TH-1040-CTS models)

TH-1040-CT models can be upgraded to a dual back-to-back or dual vertical configuration via additional accessory.

TH-1040-CT-R2R | TH-1040-CT-DV

TH-1040-CT-B2B | TH-1040-CT-DV (sold separately)

TV AND MONITOR RANGE

CEILING MOUNTS



MEDIUM TO LARGE TV MOUNT

Up to 65kg (143lbs) per display

Universal mounting hole pattern up to 800mm wide and 500mm high

Model: TH-3070-CTS

From 550mm (21.65") up to 900mm (35.5") pole

Model: TH-3070-CTL

From 1050mm (41.34") up to 1900mm (75") pole

LARGE TV MOUNT



Up to 91kg (200lbs) per display



Universal up to up to 685mm wide and 430mm high



Model: TH-3070-CTW


From 220mm (8.66") up to 2000mm (78.75") pole

Accessory



Can be upgraded to a dual back-to-back configuration via additional accessory TH-3070-CT-B2B (sold separately)

Accessory



Can be upgraded to a dual back-to-back configuration via additional accessory TH-3070-CTW-BB (sold separately)

& telehook ProAV

PROJECTOR CEILING MOUNTS

MODULAR | INTERCHANGABLE | UPGRADEABLE

Modular, universal and future-proof ceiling projector mounts for a wide range of projectors. Easy installation and adjustment features help to create the perfect projector installation in homes, offices and public environments. Parts can be purchased separately for customised set ups and pre-packaged solutions are also available.











Advanced Cable Management



39.1 mm (1.5") National Pipe Thread



7mm of height adjustment at each mount point for uneven projector surfaces







Safety catch to prevent accidental removal during installation

Fixed and adjustable extension poles available in a variety of drop lengths



Projector Mounting Head



Model: TH-PF
Projector mount

Projector mounting head can be attached flush to the ceiling or in conjunction with the TH-PCP ceiling plate and extension poles

Ceiling Plate



Model: TH-PCP

Ceiling plate with dress cover (pole not included)

Ceiling Plate

TH-PPA 457mm (18") to 635mm (25") extension pole

Th-PPA-2448 609mm (24") to 1219mm (48") extension pole

TH-PPE-24 Fixed length 609mm (24") pole

Ceiling Plate




Model: TH-PFK

Complete mounting package consists of:


- Projector mounting head TH-PF
- 76mm (3") Pole
- Ceiling plate with dress cover TH-PCP

PROJECTOR RANGE

Wall projector mounts for short throw and ultra-short throw projectors. These mounting solutions offer a high range of adjustment to achieve the optimum viewing angle in home, public and commercial settings.









Model: TH-PS-DAU

#telehook

CEILING MOUNTS

PROJECTOR RANGE

Built for simple installation in home theatre and corporate boardroom environments these mounts allow for easy adjustment and are available in both flush to ceiling and extended drop length models.













Up to 15kg (33lbs) per display



Universal



Model: TH-WH-PJ-FM

Flush projector mount



TV FLOOR MOUNTS

TV FLOOR MOUNTS

Mobile TV Carts are designed for environments where you require a large display to be manoeuvred between offices, class rooms and public environments. These carts incorporate universal mounting hole patterns, motorised height adjustment (select models), equipment shelves, video conferencing camera mounts and many more great features and options.







MOBILE TV CART



Weight: Up to 50kg (110lbs)

Shelf weight: Up to 5kg (11lbs)



Universal VESA pattern from 200mm to 800mm wide and from 200mm to 600mm high

Minimum display height: 1.12m Maximum display height: 1.82m

MOTORISED Mobile TV CART



Weight: Up to 50kg (110lbs)

Shelf weight: Up to 8kg (17.6lbs)



Universal VESA pattern from 200mm to 800mm wide and from 200mm to 450mm high

Minimum display height: 1m Maximum display height: 1.45m





Model: TH-EMC

Motorised Mobile TV Cart

TH-EMC Accessory

Dual hand-held cabled and infrared remote controls



MOBILE TV CART | DUAL DISPLAY



Weight: Up to 50kg (110lbs) per display

Shelf weight: Up to 5kg (11lbs)



Universal VESA pattern from 200mm to 800mm wide and from 200mm to 600mm high

Minimum display height: 1.23m Maximum display height: 1.83m Minimum display width: 60mm (38") Maximum display width: 1650mm (64")

Model: TH-TVCD

Mobile TV Cart | Dual Display





MOBILE TV CART | HEAVY DUTY



Weight: Up to 125kg (275lbs)

Shelf weight: Up to 5kg (11lbs)



Universal VESA pattern from 200mm to 800mm wide and from 200mm to 600mm high

Minimum display height: 1.18m Maximum display height: 1.84m

Model: TH-TVCH

Mobile TV Cart | Heavy Duty





Accessory

The Telehook TH-TVCH, TH-TVCD and TH-TVCB can be upgraded with the TH-TVS Mobile TV cart self accessory





UNIVERSAL VIDEO WALL MOUNT

UNIVERSAL VIDEO WALL MOUNT

MODULAR | INTERCHANGABLE | UPGRADABLE





















Multiple adjustment points to assist in post installation screen alignment and uneven wall leveling

Security fixing points for



Save Installation Time

- Interconnecting plates provide alignment assistance to installers
- Simple, hook-on display installation system
- Multiple points for pre and post installation display adjustments
- Security fixing points for each display

Compatibility

- Maximum weight capacity up to 165 kgs (363 lbs) per display
- Supports unlimited VESA width (and up to 400mm in VESA height)
- Can accommodate media players behind each panel (up to 60mm (2.37") of space available with additional spaces)

Save Installation Cost


- Simple and flexible system relies on a combination of just three parts, one set of vertical supports and two different wall plates
- The wall plates come in two lengths -100cm (39.6") and 160cm(63.2") which have been uniquely designed to minimise cost and installation time and maximise universal compatibility with video wall configurations using different screen sizes and brands.

More information Please turn over



ENDLESS CONFIGURATIONS WITH JUST 3 PARTS

This simple and flexible system relies on a combination of just three parts, one set of vertical supports and two different wall plates. The wall plates come in two lengths – 100cm (39.6") and 160cm (63.2") which have been uniquely designed to minimise cost and installation time and maximise universal compatibility with video wall configurations using different screen sizes and brands.



#telehook

CABLE MANAGEMENT











Cable management channel



- Low profile, only 28mm (1.10") from wall
- Can be cut to length and painted
- Accommodates up to 4 height adjustable and removable AV equipment shelves



Holds up to 10 power and data cables in separate bays (to avoid electromagnetic interference)



Model: TH-CM-SH-2

AV equipment shelves (2 per pack)

- Durable extruded anodized aluminum
- Supports up to 20kg (44lbs) in weight per shelf
- Can be added and removed easily
- Each shelf is independently height adjustable
- Come in a set of two per pack



SINCE ITS FOUNDATION IN 1998 ATDEC HAS BEEN DEDICATED TO SUSTAINABLE PRODUCT DESIGN AND DEVELOPMENT.



Designed for Disassembly

All Atdec products are designed in order to minimise their impact on the environment. As such, all Atdec products are "Designed for Disassembly" (DFD). DFD means making products that can be taken apart easily for recycling at the end of their life.

Processes are as follows:

- Components which are of adequate quality can be refurbished or reused.
- Metallic parts can be separated easily into categories which increases their recycling value.
- Disassembled plastic parts can be easily removed and recycled, or disposed



Designed for Durability, Strength and Extended use

Atdec is committed to sustainability and through the use of new and innovative technologies we improve the quality, durability, environmental compatibility, and affordability of our products. Our products go through a testing of 10,000 repetitive movements to ensure the mechanisms work as intended even in intensive use environments.



Recycling

Atdec makes full use of recyclable and recycled materials where possible. Aluminium, steel and plastics are the materials of preference for all Atdec products because of their inherent recycling properties in addition to their performance properties. Aluminum in particular has a high value as a scrap metal and is therefore one of the primary metals in all Atdec products. The steel used in our products is relatively easy to separate through magnetic extraction, and it is the world's most commonly recycled material. For our packaging we use recyclable paper made of recycled materials wherever possible.





Atdec Pty Ltd
Level 1, 26 Castlereagh St
Liverpool NSW 2170
Australia

Email: info@atdec.com Phone: (02) 87295000

www.atdec.com.au